KENAI PENINSULA BOROUGH SCHOOL DISTRICT
Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876

Bid #111-16

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 01	1	EA	**EXTRACTOR-SCRUBBER MULTI-SURFACE**	$_____	$_____
163590			Standard Features include: 30 second tools-free mode change; Lift Low Moisture Cleaning Mode; Deep Treat Pre-Spray Mode; Dual Multi-Surface, Anti Microbial Brushes; Laminar Flow Squeegee and Vacuum Shoes; 250 Ah Batteries; Onboard Charger. Specifications: Solution capacity: 20 gal. Solution pump: 100 psi Recovery capacity: 16 gal Vacuum Motore: Dual 3 stage bypass Airflow: 93 cfm (extraction) / 67 cfm (scrubbing) Waterlift: 70 in H2O Vacuum Shoes: Dual 13.5” Squeegee: 36” curved laminar flow Brushes: Dual 24” Brush Motors: Dual 1/2 hp permanent magnet Brush Speed: 960 RPM Sound Level: 69 dB A (extraction) / 66 dB A (scrubbing) Electrical System: 24V (4) x 6 V batteries Batteries: Four 6V/255Ah main-free (AGM) batteries Machine Speed: Hard Floor & Transport mode 220 ft/min; LIFT mode: 90 ft/min; Restoration mode: 50 ft/min; Light Deep Treat mode: 150 ft/min; & Heavy Duty Treat mode: 100 ft/min.	_____ BRAND/MODEL # _____ Is item available now? Give due date	
			Size/Color - 56”L x 27”W w/o squeegee x 43.5”H - Gray		
			Acceptable brands - ADVANCE ADPHIBIAN #56317011		
			☒ *or an approved equal (sample/literature required)*		
			☐ only		

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 02 | 1 | EA

EXTRACTOR, CARPET SELF-CONTAINED

$_____ $_____

163639

Dual overlapping spray jets & exceptional vacuum suction. Easily clean around & under objects with the compact, low profile design. Insta-Adjust handle extends cleaning reach. Easy to file, empty, & clean tanks offer a compact design. Ergonomic handles and grips ensure easy pickup.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Cleaning path: 15”
Brush motor voltage: 120V / 230V
Brush RPM: 1,200 rpm
Motor RPM: 2400 rpm
Solution & recovery tanks: 5 gal
Vacuum motor stages: 2 stage
Vacuum motor power: 1.2 hp
Vacuum motor amps: 7.1 amps
Airflow at orifice: 99 cfm
Spray jet count: 2-quick connect
Power consumption: 10.8 amps; 120V; 1300 W
Cord: 50’
Solution pump pressure: 65 psi
Solution pump amps: .7 amp
Solution pump flow rate: .7 gpm
Decibel rating @ operators ear: 69 dBA

Size/Color - 27”L x 19”W x 28”H - Blue/silver

Acceptable brands - TENNANT E5

☒ *or an approved equal (sample/literature required)*

☐ only

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 03	1	EA	**EXTRACTOR, CARPET SELF-CONTAINED**	$_____	$_____

163504

Large opening & clear sight dome. Easy fill - bucket or hose. Tools-free removal of vacuum shoe. Independent self aligning recovery tool. Precision balanced easy handling. Independent dashboard controls. Large 13 gallon solution tank results in longer runtime. Large 10 inch non-marking wheels.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Standard Features
CRI-SOA certification
Exclusive wash and rinse feature
Onboard-chemical metering
Interim and restorative cleaning modes
ErgoEX belt
Quick dry time

Specifications:
Solution capacity: 13 gal
Brush/Cleaning path: 18”
ErgoEX Belt: Standard
Wash & Rinse feature gets carpet cleaner faster by washing & rinshing all in one pass, increasing productivity.
Pump PSI: 100
Nozzles: Wash: 2, Rinse: 2
Vacuum motor: 98
CFM: 98
Waterlift: 123
Brush Motor: 1/3 hp
Cord length: 50’ detachable
Wheels: (2) 10”

Size/Color - 44.5” x 19.5” x 37” - Blue

Acceptable brands - CLARKE CLEAN TRACK 18 W&R #CLK-56266002

☒ *or an approved equal (sample/literature required)*

☐ only

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 04	**2**	**KIT**	**EXTRACTOR, CARPET SPOT**	$_____	$_____

163595 (1)
163639 (1)

Portable Deep Cleaning Carpet Extractor goes where you need it, powerfully cleans spot stains, and picks up small spills.

Specifications:
Vacuum motor: 1.12 hp, 2 stage, 120V, 7A, 840 watts.
Vacuum motor type: Peripheral discharge, bypass: 4.8 dia. Power cord: 25' SJTO.
Recovery tank: 1.5 gal
Vacuum hose: 8’
Solution pump: 1.25A
Solution pump pressure: 30 psi/2.07 bar
Solution pump watts: 150
Spray jet count: 1 jet
Chassis & body construction: White, translucent, rotationally-molded polyethylene
Power consumption amps 8.25 A
Power consumption voltage 120 V
Power consumption watts 990 watts

Includes: Extractor, metal hand tool with hoses, cleaning kit and portable cart.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color - 21”L x 7.75”W - White

Acceptable brands - NOBLES EX-SPOT-2 #9007629

☒ *or an approved equal (sample/literature required)*

☐ only

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 05 | 1 | EA | EXTRACTOR, CARPET SPOT

$_____ $_____

163562

For quick cleanups or spot cleaning carpets, hard to get areas, and upholstery. Hand held tool dispenses cleaning solution directly on spots or heavily soiled areas, and immediately recovers the dirty solution. Lightweight & compact size.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Solution tank: 2 gal.
Recovery tank: 2 gal
Construction: Rotational molded polyethylene
Solution pump: 38 psi
Vacuum motor: 2-stage, 1 hp, w/78.5” waterlift, 87.7 cfm
Power cable: 25’, 16/3 wire detachable cable
Hand tool: clear plastic, 3.5” wide w/stainless steel handle
Recovery hose: 8’x1” wire-wound PVC
Solution hose: 9’x1/4” nylon braided PVC
Sound level: 73 dB A average at 3’ from machine.

Size/Color -

Acceptable brands - ADVANCE AQUASPOT #56220000

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
# 06	**1**	**EA**	**EXTRACTOR, HEATED**	$_____	$_____
163514			Dual 3-stage vacuums with unrestricted airflow. Inline heater element, after the pump for longer life & instant head up to 212 degree F at wand tip. Low moisture system. Daytime quiet operation sound deadening chamber. Lightweight rotationally molded tanks. 15' high pressure solution line & crushproof vacuum hose. Vacuum: Dual 5.7", 3-stage Vac Shutoff: Ball float Pump: Positive displacement adjustable 50-500 psi Waterlift: 200" Heat: Adjustable to 212°F for carpet extraction, or 145°F for upholstery. Heater: 2000W Gauge: Glycerin filled pressure gauge. Wand caddy is molded into the machine for easy access & transport. Includes: AquaWand 12" wand & hose	_____ BRAND/MODEL # _____ Is item available now? Give due date	
		Size/Color -	39"H x 25"W x 33"L		
		Acceptable brands -	ADVANCE ET700 #56113181		
			☒ *or an approved equal (sample/literature required)*		
			☐ only		

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 07 | 1 | EA

SCRUBBER, FLOOR
WALK-BEHIND (BATTERY OPERATED)

$_____ $_____

163558

Two-button control panel to quickly switch between scrub & vacuum functions. Adjustable machine deck provides increased down pressure to optimize scrubbing for HD applications. Large recovery tank w/easy access allows easy inspection & cleaning. Tips back w/minimal pressure required for efficient transportation. Wrap-around ergonomic handlet. Front fill solution tank. Variable pad driven assistance. Edge guide for easy wall cleaning. Center pivot squeegee provide 100% water pickup on turns. Non-marking rear wheels.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Max Speed: 3 mph; Voltage: 24V; Brush Motor: 480W
Vacuum Motor Power: 480W
Airflow: 36L/Sec; Vacuum: 1.200 MPA
Sound Pressure Level: 68 dB A
Maximum Run Time: 140 min
Scrubbing Width: 20”; Min. Turn-around Aisle Width: 46”
Water Flow: 0.105 - 0.422
Solution Tank: 10.5 gal & Recovery Tank: 11.9 gal
Squeegee Width: 30”
Brush Pressure: 66 lb. & Brush Speed: 154 RPM
Brush Size: (1) 20”
With 98 Ah maint-free (gel) batteries, two each

Size/Color - 46.2”L x 22”W x 38.6”H

Acceptable brands - ADVANCE SC450 #56383129

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 08 | 1 | EA

SCRUBBER, FLOOR
WALK-BEHIND (BATTERY OPERATED)

$_____ $_____

164040

Model: 20” - Single Disk - Pad Assist

_____
BRAND/MODEL #

Control Panel: Membrane Panel
Cleaning Tool Attachment: Insta-click
Machine Speed: Scrub: 61 mpm/200 fpm; Transport: 73 mpm/240 fpm; Reverse: 44 mpm/144 fpm
Scrubbing Rate Ec-H2O NanoClean: 11,602 ft2
Cleaning Path: 20”
Scrub Motor: 24 VDC, 1 HP /0.75kW
Brush/Pad RPM: 230
Brush/Pad Down Pressure: 51, 76, 90 lbs
Solution Tank Capacity: 11 gal.
Recovery Tank Capacity: 14 gal.
Vacuum Motor: 24 VDC, 0.6 HP
Vacuum Water Lift with Quiet Mode: 28”
Cleaning Technology: ec-H2O NanoClean Technology
ec-H2O NanoClean Technology Water Flow: Low: 0.45 lpm; Med: 0.94 lpm; & High: 1.3 lpm
Severe Environment option: YES
System Voltage: 24 Volts
Battery Count: 2 - Batteries Wet 130AH
On board charger: standard
Sound Level at operator ear: 64.9 dBA
Quiet Mode at operator ear: 57.8 dBA
Squeegee width: 30”

_____
Is item available now?
Give due date

Size/Color - 54”L x 22”W x 43.10”H

Acceptable brands - TENNANT T300

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 09 | 1 | EA | SCRUBBER, FLOOR & CARPET

$_____ $_____

163590

With features like slotted removable weights that allow you to reduce weight to clean carpet and add weight for heavy duty jobs like stone polishing, Adjust from the standard weight of 164 pounds or with full weights, 329lbs.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
CA/ETL/CE Certified: yes
Powder Coated Steel Frame: 10 Gauge
3/4” Solid Steel Axle
Adjustable Handle w/Transport Lock
6"x2" Non-Marking Wheels
Motor: 3450 rpm
Operating Sound Output: 69 db
50’, 14 gauge power cord with lighted hospital grade plug
Amp draw: 7 amps
Pad Size: 14” x 20”
1-1/4" Isolators: 4
Oscillations: 3450/minute
Removable weights: Yes (slotted)
Vibration Reducing Isolated Handle
Stone Care Capable
Dust Containment Kit: included

Size/Color -

Acceptable brands - SQUARE SCRUB EBG-20/C

☒ *or an approved equal (sample/literature required)*

☐ only

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

#10 | 1 | EA | SCRUBBER, TILE & GROUT $_____ $_____

163504

This machine is built for intensive professional use in an commercial environment.

Specifications:
Power Supply Input 115V 60 Hz AC
Motor 1/8 HP, 115V AC, 1.14A
Cord 50', 16-3, Yellow, Detachable
Brush Size 6 or 8 Inch
Brush Speed 500
Motor - 1 Amp
RPM: (Brush) 500
Weight lbs
Solution tank: 4 Quarts

Included accessories: pad driver, 3 pads.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color - 6" x 11" x 47" - Black

Acceptable brands - HAWK ENTERPRISE TALON F0036-115

☒ *or an approved equal (sample/literature required)*

☐ only

#11 | 1 | EA | TILT TRUCK STANDARD DUTY $_____ $_____

163576

Industrial strength construction transports heavy loads with ease.
Seamless one-piece molded truck bodies with reinforced lip
Sturdy, plastic construction won't rust, dent, chip, or peel and is easy to clean.

Specifications:
4" center swivel back caster provides easy maneuvering.
Durable one piece, 10" blow-molded polypropylene inset wheels protect surroundings.
Powder coated steel frame for corrosion resistance.
Easy to handle and maneuver through commercial doorways and onto elevators.
Constant force design allows for controlled dumping by one person.
Smooth surface is easy to clean and resists pitting and corroding.
Mass capacity: 850 lb.
Volume capacity: 1/2 yd3

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color - 60.5"L x 28"W x 38.6"H - Black

Acceptable brands - RUBBERMAID 1305 #FG130500 BLA

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 12 | 1 | EA | VACUUM, CANISTER

$_____ $_____

163565

Ergonomically designed features for operator comfort and convenience, including telescopic wand, foot-activated on/off switch, and on-board cable and accessory storage. Anytime, anywhere cleaning with two sound level options for ultra-quiet operation.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Cleaning path: 11 in
Vacuum motor watts: 300 W
Vacuum voltage: 110 V / 230 V
Vacuum power watts: 1200 W
Airflow at orifice: 76 cfm / 2.14 m3/min
Water lift at sealed orifice: 25 kPa
Power cord length 50 ft
Triple filtration description: 3-stage HEPA 12
Vacuum bag: Paper
Vacuum hose: 6.6 ft
Vacuum diameter: 1.26 in
Vacuum bag capacity: 2.4 gal
Sound level (operator's ear) 59.7 dBA
Accessories: Combination floor tool, accessory kit, telescopic aluminum wand.

Size/Color - Blue/silver

Acceptable brands - TENNANT V6 1069908

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

#13 | 1 | EA | VACUUM, CANISTER

$_____ $_____

163691

Power Technology delivers high performance where low sound levels are critical. With a filter capacity four times the size of standard uprights, the QuietPro CN HEPA provides maximum cleaning ability.

Specifications:
Watts: Power Mode: 744 watt, Quiet Mode: 552 watt
Decibels: Power Mode: 55 dBA, Quiet Mode: 47 dBA
Airflow: Power Mode: 124 CFM, Quiet Mode: 85 CFM
Static Lift: Power Mode: 75 in., Quiet Mode: 38 in.
Amps: Power Mode: 6.2 A, Quiet Mode: 4.6 A
Capacity: 10 qt.
Four Level Filtration: 2188 sq. in. w/ HEPA Media Exhaust Filter

Includes: 1 1/2" static-dissipating vacuum hose, 50' extension cord and 2 Intercept Micro® Filters.

w/Xover Tool Kit D (107100) includes: 14" Xover Floor Tool, 42 to 59" Aluminum Telescoping Wand, 17" Crevice Tool, 3" Dust Brush w/ Reducer, 5" Upholstery Tool

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color -

Acceptable brands - PROTEAM QUIETPRO CN HEPA #107152 / KIT D #107100

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

#14 | 1 | EAC | VACUUM, PORTABLE

$_____ $_____

163598

This is one vacuum that does it all—hard floors, carpet, furniture, fixtures, and drapes. With incredible suction and a lightweight wand, the "Pig" reaches up to 25 ft. overhead to clean areas other vacuums can't—vents, beams, and even ceilings and skylights.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Cleaning Path: 12" Carpet & 14" Hard floor
Vacuum Motor: Single-stage, bypass cooled by separate fan.
Fan: 8 in. cast aluminum.
Voltage: 120V, 60 Hz.; HP: 1.5.; RPM: 10,000 (avg); Amp: 12.
Cord: 35 ft.; Capacity: 48 quarts dry.; Body: Cast Aluminum
Casters: Two ball bearing , 3" swivel
Wheels: Two rear-mounted, 6" fixed
Sound level: 69dBA

#3093909 Deluxe Dry Carpet & Overhead Cleaning Kit includes:
12" Lint Lifter Carpet Tool; One 1/2" x 10' Super Flex Hose; 28" Crevice Tool; 7" Shelf Brush; Hi-Up Extension Tube Kit; Aluminum Wand; 3" Round Dusting Brush; & 5" Aluminum Connector.

Size/Color - 32"H x 16.5"L x 12"W

Acceptable brands - NSS M-1 "PIG" & CLEANING KIT #3093909

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

#15 | 1 | EAC | VACUUM, PORTABLE

$_____ $_____

163598

This is one vacuum that does it all—hard floors, carpet, furniture, fixtures, and drapes. With incredible suction and a lightweight wand, the "Pig" reaches up to 25 ft. overhead to clean areas other vacuums can't—vents, beams, and even ceilings and skylights.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Specifications:
Cleaning Path: 12" Carpet & 14" Hard floor
Vacuum Motor: Single-stage, bypass cooled by separate fan.
Fan: 8 in. cast aluminum.
Voltage: 120V, 60 Hz.; HP: 1.5.; RPM: 10,000 (avg); Amp: 12.
Cord: 35 ft.; Capacity: 48 quarts dry.; Body: Cast Aluminum
Casters: Two ball bearing , 3" swivel
Wheels: Two rear-mounted, 6" fixed
Sound level: 69dBA

#3093759 Dry Pick-Up Carpet & Dusting Kit includes: One 1/2" x 10' Super Flex Hose; Aluminum Wand; 12" Carpet Tool w/ Milled Manganese Shoe; 1 12" Plastic Crevice Tool; 5" Aluminum Connector; 3" Round Dusting Brush.

Size/Color - 32"H x 16.5"L x 12"W

Acceptable brands - NSS M-1 "PIG" & CLEANING KIT #3093759

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
#16	2	EA	**VACUUM, UPRIGHT COMMERCIAL**	$_____	$_____
163514			The Commercial Vibrance with belt protection is reliable and durable. This vacuum not only cleans carpeted and bare floors superbly, but also it features an array of on-board tools that make quick work of cleaning above the floor, whether it's upholstery, baseboards, blinds shelves or ceiling corners. With metal parts in high-wear areas and Hall Sensor belt protection. Specifications: Performance HEPA media vacuum bag FastTask hose, 2-piece wand, crevice tool, dusting brush, upholstery tool Bag: HEPA Media Brushroll: Chrome Steel Brushstrips: 2 Rows, Replaceable Belt: Lifetime Serpentine with Hall Sensor Protection Bottom Plate: Chrome Plated Steel Cord Length: 40 Feet, 3-Wire Full Bag Indicator: On Body Handle Tube: Aluminum Headlight: Yes On/Off Switch Location: On Handle Power: 12 Amps 1 year warranty	_____ BRAND/MODEL #	
				_____ Is item available now? Give due date	
			Size/Color - Torch/Safety Red		
			Acceptable brands - RICCAR #VIBCBP		
			☒ *or an approved equal (sample/literature required)*		
			☐ only		

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

#17 | 1 | EA | VACUUM, UPRIGHT COMMERCIAL

$_____ $_____

163590

Shake loose & draw out embedded dirt and grit that shorten carpet life. The vac motor is filter protected. The final filter is a hospital grade filtration media. Protects your indoor quality by filtering to 0.1 microns and exhausting only clean air. With a two-motor design, separate motors drive the brush and the vacuum. The brush motor has electronic overcurrent protection, and a thermal relief valve protects the vacuum motor.

Specifications:
Vacuum Motor: 1 hp, 115 V/60 Hz, 750W, 2 stage, 88 cfm, 77" water lift w/1.5" orifice. Includes thermal overload protection.
Brush Motor: 0.27 hp, 115 V/60 Hz, 200W, Electronic overload protection on brush motors.
Brush Speed: 5,000 rpm, driven by toothed timing belt.
Brush: Single row nylon bristles in 360 degree chevron pattern, with variable brush height.
Total Power: 115V/920 W, 8.4 amps
Cleaning Width: 18"
Air Filtration: 5 stages, 2 ply paper filter bag, inlet foam filter, carbon brush exhaust filter, electrostatic exhaust filter.
Bag Capacity: 2-ply filter bag has 2440" (4L) capacity.
Power Cable: 40', 18/3 wire, double insulated.
Sound Level: 69 dB A with both motors running.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color - 19.5"W x 10"L x 47"H

Acceptable brands - ADVANCE CARPETWIN 18 #56 704 201

☒ *or an approved equal (sample/literature required)*

☐ only

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price
#18	**1**	**EA**	**VACUUM, WET/DRY**	$_____	$_____
163595			Compact, rugged body made of durable polyethylene, backed by a 10 year warranty. Specifications: Airflow at orifice 103 cfm Water lift at sealed orifice 92 in Motor amps 8.5 A Motor diameter 5.7 in Motor HP 1.3 hp Motor stages 2 stage Motor voltage 120 V Motor power 980 watts Filter description Cloth bag Recovery tank wet capacity 15 gal Vacuum hose length 10 ft Chassis construction Rotationally-molded polyethylene Caster: 4”D Wheel: 10”D Cord electric: 50’ Standard Equipment: 10 ft x 1.5 in vacuum hose, one cloth and one paper filter bag, and 26 in front mount squeegee.	_____ BRAND/MODEL # _____ Is item available now? Give due date	
		Size/Color -	37.5”H x 29”L x 15.5”W		
		Acceptable brands -	TENNANT #V-WD-15S		
			☒ *or an approved equal (sample/literature required)*		
			☐ only		

_____
VENDOR NAME

No.	Qty	Unit	Item and Specifications	Unit Price	Total Price

 # 19 | 1 | EA | VACUUM, WET/DRY

$_____ $_____

163560

The ProGuard 10 Wet/Dry Vacuum offers durable construction and powerful performance. With a heavy duty, 2 stage motor and commercial grade tools and hose, the ProGuard 10 will keep working even in the toughest environments.

Specifications:
Watts: 1380 W
Weight: 28 lbs. (15.9 Kg)
Decibels: 68 dBA
Airflow: 105 CFM
Static Lift: 95 in.
Amps: 9.5 A
Capacity: 10 gallon (37.9 L)

Includes: 10' hose, Two-Piece Wand, Bristle Floor Tool, Squeegee Tool, Crevice Tool, Dust Brush, Find Dust Filter and ProGuard Wet Filter.

Warranty: 3 years on parts, labor and motor. Lifetime on molded body parts.

_____
BRAND/MODEL #

_____
Is item available now?
Give due date

Size/Color -

Acceptable brands - PROTEAM PROGUARD 10 #107129

☒ *or an approved equal (sample/literature required)*

☐ only