**KENAI PENINSULA BOROUGH SCHOOL DISTRICT**

**Bid #109-17**

Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876



_____
**Vendor Name**

| No. | Qty | Unit | Item and Specifications | Unit Price | Total Price |
|---|---|---|---|---|---|
| 1 | **2** | **EA** | **REAR BLADE**<br>For use on John Deere Sub-Compact 1025R Utility Tractor.<br><br>Manually adjusted angle and tilt<br>Frame size: 4 x 4" tubular steel<br>Angle/pivot 360 degrees<br>Moldboard thickness 3/16 in.<br>Tilt 3-position<br>Hitch Cat. 1<br><br>**Size/Color:** 60" - Green<br><br>**Acceptable Brands:** FRONTIER RB2060<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172492/172516 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |
| 2 | **1** | **EA** | **SNOWBLOWER, WALK BEHIND**<br>Engine: Honda GX200<br>Displacement: 196 cc<br>Starting System: Electric (DC)/Recoil (AWD)<br>Fuel capacity: 0.82 gal<br>Drive Mechanism: Hydrostatic, Infinitely variable<br>Clutch type: Hydrostatic<br>Steering System: Steering Clutches<br>Large 14" Tall Pneumatic Sure-Grip Tires<br>Ice Breaking, Heavy Duty Serrated Auger<br>Steel Reinforced Auger Housing<br>Stages: 2<br>Work Light LED - 12V-6W<br>Chute Adjustment System: Remote Electric Joystick<br>Chute Deflector Articulation: Single Articuled<br>Chute Turning Radius: 198°<br>Clearing Width: 23.8 in.<br>Clearing Height: 21.7 in.<br>Max. Discharge Distance: 49 ft.<br>Max. Discharge Capacity : 1500 lb./min<br><br>**Size/Color:** 58.5"L x 26.4"W x 43.5"H - Red<br><br>**Acceptable Brands:** HONDA HSS724AWD<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172431 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |

Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876

| No. | Qty | Unit | Item and Specifications | Unit Price | Total Price |
|---|---|---|---|---|---|
| 3 | 1 | EA | **UTILITY TRACTOR, SUB-COMPACT**<br>Powerful Tier 4-compliant diesel engine, 18 PTO hp, 3200 RPM, 2-range hydrostatic transmission.<br>Premium Operator Station with ergonomic seat, armrests and fender lights<br>3-point Hitch<br>Standard 4WD and power steering<br>Engine Block Heater Adapter (AM134805)<br>Engine Coolant Heater 110V (BLV10640)<br>Tire Chains (pair) for 26x12-12 Tires (TY15958).<br>**Size/Color:** Green<br>**Acceptable Brands:** JOHN DEERE Model 1025R #0287LV<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172516 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |
| 4 | 1 | EA | **SNOWBLOWER**<br>For use on John Deere Sub-Compact 1025R Utility Tractor.<br>Front quick-hitch tool-free change<br>Two-Stage Auger, 16" Auger Diamter<br>15" Impeller Diameter, Plastic Chute, Chute Rotation 100 Degrees.<br>Front Quick-Hitch and Hydraulic Lift (2008)<br>2000 RPM Front PTO (3012)<br>Implement Drive and Upstop (4006)<br>Front Attaching Support Kit (BLV10160)<br>**Size/Color:** 54" - Yellow<br>**Acceptable Brands:** JOHN DEERE QUICK HITCH SERIES<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172516 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |

Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876

| No. | Qty | Unit | Item and Specifications | Unit Price | Total Price |
|---|---|---|---|---|---|
| 5 | 1 | EA | **ROTARY BROOM**<br>For use on John Deere Sub-Compact 1025R Utility Tractor.<br><br>Quick-Hitch Two-Stage<br>Hydraulic Angling (2001)<br>Implement Drive Shaft (4000)<br><br>**Size/Color:** 52" - Yellow<br><br>**Acceptable Brands:** JOHN DEERE 3880M<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172516 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |
| 6 | 1 | EA | **BROADCAST SPREADER**<br>For use on John Deere Sub-Compact 1025R Utility Tractor.<br><br>Polyethylene hopper and stainless steel spreading components for strong resistance to salt, sand, and other corrosive material.<br>Hopper Weight Capacity: 362 lb.<br>Hopper Volume Capacity: 5.6 cu. Ft.<br>Swath Spread: 23 ft.<br>Tractor PTO HP Range: 16-45 hp<br>PTO RPM: 540<br>Hopper Cover (9010)<br>Deflector Shield (9070)<br>Remote Gate Control (9080)<br>Tumbling Wheel Agitator (9090/SS1023B).<br><br>**Size/Color:** 35"W X 34"H - Yellow<br><br>**Acceptable Brands:** FRONTIER 3071XF/SS2036B<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172516 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |

Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876

| No. | Qty | Unit | Item and Specifications | Unit Price | Total Price |
|---|---|---|---|---|---|
| 7 | 1 | EA | **ALL-TERRAIN VEHICLE**<br>443cc SOHC, 4-Stroke, 4-Valve with Electronic Fuel Injection<br>Cooling System: Liquid with fan<br>Transmission: Automatic CVT with EBS Hi/Lo Range, Neutral and Reverse<br>Drive System: 2/4 WD Electric<br>Brakes Front / Rear: Hydraulic Disc<br>Manual steering<br>Towing Capacity: 1050 lbs.<br>Hitch Type: Rear 2" Receiver (no hitch)<br>Independent rear suspension<br>Front & Rear Tires: 25"<br>Wheels: Powder-Coated Steel<br>Instrumentation: Digital<br>Lighting: Dual Halogen Headlights/Dual Rear Taillights<br>**Size/Color:** 84.3"L x 45"W x 46.8"H - Red<br>**Acceptable Brands:** ARCTIC CAT ALTERRA 450 (2016)<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172472 | $_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |
| 8 | 1 | EA | **UTILITY VEHICLE**<br>675-cc, air-cooled, V-twin gas engine with 15.5 hp, 4-cycle.<br>Drive: Vatiable-speed 4x2<br>All-wheel hydraulic disk brakes<br>Power Steering: No<br>Max Speed: 20 MPH<br>Towing Capacity: 1000 lb.<br>Box Capacity: 600 lb.<br>4-Turf Tires (1015)<br>Adjustable Seat (2017)<br>Deluxe Cargo Box with Paint & Reflectors (3001).<br>**Size/Color:** Green/Yellow<br>**Acceptable Brands:** JOHN DEERE GATOR TX 4X2 (2016) #5710M<br>☑ or an approved equal (sample/literature required)<br>☐ only<br>#172807 | $_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |

Purchasing Department
139 E. Park Avenue
Soldotna, Alaska 99669
(907) 714-8876

| No. | Qty | Unit | Item and Specifications | Unit Price | Total Price |
|---|---|---|---|---|---|
| 9 | 1 | EA | **FRONT LOADER**<br>For use on John Deere Sub-Compact 1025R Utility Tractor.<br><br>Quik-Park stands for easy attachment and removal.<br>End-of-pin lubrication on cylinder and pivot pins allows easy access for servicing grease points.<br>Ballast Box (6000)<br>John Deere Compact Utility Tractor (CTU) Carrier (7020)<br>(1) 53" Quick-Change Materials Buckets<br><br>**Size/Color:** GREEN<br><br>**Acceptable Brands:** JOHN DEERE H120<br>☑ or an approved equal (sample/literature required)<br>☐ only<br># 172840 | $_____<br>_____<br>BRAND/MODEL #<br>_____<br>Is item available now?<br>Give due date | $_____ |