

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
01	1	EA	PAINT, EXTERIOR 100% acrylic and provides a mildew resistant finish. This easy-clean flat minimizes surface imperfections, provides ultimate durability, exceptional hide and all-climate protection. The finish displays a traditional, matte appearance. Ideal for wood, vinyl and fiber cement sidings; stucco, brick, masonry and fences. Exceptional latex formula that provides a mildew resistant finish. 100% acrylic finish for ultimate durability. Designed for all climate protection. Flat sheen offers a traditional matte appearance. Easy soap and water clean-up. Color: Light French Gray Sheen: Flat Size: 5 gallon BEHR PREMIUM PLUS #720E-2 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
02	2	GAL	PAINT, EXTERIOR Ultra Exterior Paint and Primer in One, provides an extra protective shell that shields against damage from sunlight, moisture, stains and dirt. It's the perfect choice for all weather climates, even for application in temperature as low as 35 degrees F (2 degrees C). The unique molecular structure provides excellent adhesion to multiple surfaces including metal, wood, vinyl, masonry, stucco and brick. Suitable for application on wood, vinyl, stucco, aluminum, metals, steel, doors, windows, trim, shutters, garage doors and outdoor furniture. Ideal for painting rusted metals and tannic woods or making drastic color changes. Exceptional hiding capability and coverage. Enhanced mildew resistant finish. Backed by limited lifetime guarantee. Simple application with brushes, rollers and sprays. Color: Pure White Sheen: Flat Size: 1 gallon BEHR PREMIUM PLUS ULTRA #PPU-18-6 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
03	2	PKG	PAINT BRUSH Polyester blend filament Flagged & tipped filament leave a smooth finish Varnished wood handle 4-Pack includes: 1 in. flat, 2 in. angle sash, 3 in. flat and 4 in. flat brush HOME DEPOT #HD A 1172 4 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
04	2	SET	PAINT BRUSH 3-Piece good quality polyester brush set can be used with all paints. This versatile set includes both flat and angle sash brushes. This polyester brush set is best suited for utility projects. It offers good quality at a value price. Plastic handles Polyester brush heads Recommended for use with most paints Reusable Great for utility projects Set includes a 2 in. angle sash, a 2 in. and 3 in. flat sash brush HOME DEPOT #A 1827 3 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
05	4	EA	ROLLER FRAME Heavy duty 5/16-gauge steel construction for professional-quality durability. Use with standard 9 in. roller covers 5-wire roller cage for a secure grip on the roller cover to help minimize walking Metal-reinforced, threaded end accepts standard extension poles Orange, molded handle offers comfort and excellent control Size: 13.5" L x 1.5" D x 10" W – 6" handle LINZER #RF 211-9 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
06	2	EA	ROLLER TRAY Deluxe-quality Rust-proof, solvent-resistant, copolymer polypropylene Sturdy, ribbed roll off area for even loading Color/Finish: Gray Plastic Size: 11" - 1-qt. working capacity WOOSTER # OBR5690110 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
07	1	PKG	TRAY LINERS Plastic polypropylene construction Fits most standard-size metal and plastic trays Can be used with most paints and finishes Solvent resistant Studded ramp for easy roller cover loading Overlapping edges help keep tray underneath clean Disposable for easy cleanup 10 - Pack Color: White Size: 15.25" D x 8"H x 11" W PROJECT SELECT #RM 4110 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
08	2	PKG	ROLLER COVERS Designed for semi-smooth surfaces like drywall and lightly textured walls. Refill pack includes six medium density knit covers. Designed for durability. 3/8 in. nap 6-pack Latex and oil paints and stains. Ideal for flat sheens. Size: 9" L x 9"H x 13.5" W GOOD #2001675 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	
09	1	EA	EXTENSION CORD Designed for use in temperatures ranging from -58 to 167 degrees F. It features an outlet with a power-on indicator light. Heavy duty for job-site and household needs. UL Listed. Indoor/Outdoor Wire Gauge: 12 Conductors: 3 Outlets: 1 Kink-free cable 15 amp, 125 volt, 1875 watt capacity Color: Orange/Black Size: 50' RIDGID # 757-123050RL6A or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	
10	1	SET	MECHANICS TOOL SET (268-Piece) Chrome finish provides corrosion resistance and added durability. Large, hard-stamped size markings allow for easy readability. Hex keys, screwdriver and nut driver bits are formed from heat-treated S2 tool steel for added strength and wear protection. Plastic storage case is stamped with size markings for easy identification and organization. Hand tools are guaranteed forever. Set includes three 1/4, 3/8 and 1/2 in. dr. quick release ratchets, 23 standard length 1/4 dr. [drive] 6-pt. socket, 10 standard length 1/4 dr. 12-pt. socket, 21 deep 1/4 dr. 6-pt. socket, 28 standard length 3/8 dr. 6-pt. socket, 5 standard length 3/8 dr. 8-pt. socket, 22 standard length 3/8 dr. 12-pt. socket, 16 deep 3/8 dr. 6-pt. socket, two 3/8 dr. spark plug socket, nineteen 3/8 dr. bit socket, 22 standard length 1/2 dr. 12-pt. socket, 20 combination wrenches and 77 other accessory and dr. tools including Hex Keys, Multi-Bit, Screwdriver, Nut Driver Bits, Ratchet, Screwdriving Bits, Sockets HUSKY #H268MTS or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
11	90	EA	FRACTIONAL DIAL CALIPER Plastic Dial Caliper with Inches Readout can make inside, outside, depth and step measurements in inches or millimeters Range: 0 to 6" GENERAL #142 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174024	
12	1	EA	IMPACT DRIVER Cordless 20-Volt Max Brushless motor & XR Lithium-Ion batteries 1/4 in. hex chuck – quick release chuck 3-Speed Max Speed: 3250 RPM Impacts per minute: 3600 Accepts 1" bit tips 3 LED lights with 20 second delay after trigger release Includes: charger, 2 batteries and kit box. Color: Yellow <u>Must be UL approved or equivalent</u> DEWALT #DCF887D2 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	
13	1	ROLL	BUILDING WIRE 12/2 Type NM-B cable (non-metallic sheathed cable) can be used in residential wiring as branch circuits for outlets, switches or other loads. May be run in air voids of masonry block or tile walls that are not subjected to excessive moisture or dampness. Indoor use Dry locations up to 194-degree F 600-Volt maximum Copper conductors Grounded & Jacketed Color: Yellow Size: 1000 ft. of cable per roll 1-UL listed ROMEX #28828201 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173663	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
14	16	EA	ROOFING PANELS, RIBBED 29-Gauge steel is lightweight and easy to install Panel Coverage: 36" Rib Height: 5/8" – 5 rib. Low profile Finish: Galvalume Color: Gray Size: 36" W x 12'L METAL SALES PRO-PANEL II #HD2594112 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173663	
15	16	EA	ROOFING PANELS, RIBBED 29-Gauge, high strength galvanized steel Exposed fastener Panel Coverage: 36" Rib Height: 3/4" – 5 rib. Anti-siphon proof prevents wicking to avoid leaks; product can be end-lapped Color: Evergreen Size: 37.75" W x 8' L FABRAL SHELTERGUARD #0410115176 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174039	
16	124	EA	ROOFING PANELS, PLASTIC Polycarbonate corrugated Covers 24 sq. ft. Co-extruded UV protective layer Blocks 99.9% of harmful UV rays Color: Clear Size: 26" W x 12'L SUNTUF #101699 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173663 & 174009	
17	10	BOX	CARRIAGE BOLTS 25-piece per box Stainless steel construction & finish Coarse thread Smooth, round dome head Size: 1/4 in. - 20 tpi x 3 in. EVERBILT #804440 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
18	3	BOX	HEX NUTS 100-piece per box Stainless steel construction & finish Coarse thread Size: 1/4 in.-20 tpi (teeth per inch) EVERBILT #804870 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
19	3	PKG	FLAT WASHER Stainless steel construction & finish Size: 1/4 in. - 100-piece per pack EVERBILT #804910 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
20	2	PKG	SCREW, WOOD DECK Lifetime polymer coated and Zinc-plated for extra corrosion resistance. T-25 bit included in the box. Auger thread design aggressively cuts through material. Star drive helps transfer torque and prevent cam outs. T-17 pre-drill point reduces wood splitting for faster starts. Nibs under head allow screw to countersink better for a smoother finish. Drive style: Star Head style: Flat Fastener Callout size: #9 x 2-1/2" 5 lb. (393-pack) Color: Tan DECK MATE #735068 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	
21	6	PKG	SCREW, COMBO MACHINE Fasten with a screwdriver to reduce the risk of over-tightening to protect the screw and fastened material. Finish: Zinc Head Style: Round Size: 6-32 x 1/2-Inch (100-pack) THE HILLMAN GROUP #90123 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173964	
22	6	PKG	NYLON INSERT LOCK NUT Nylon provides better capability of providing renewed locking action after removal and re-installation. Use for fastening to a bolt when mechanically joining materials. For general applications. Thread Type: Coarse Finish: Zinc Size: 6 – 32 (100-pack) THE HILLMAN GROUP #180132 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173964	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
23	2	EA	HASP, SAFETY Zinc plated. All screws are concealed when hasp is closed Ribbed design for extra strength Includes rigid non-swivel staple Finish: Zinc Size: 6" NATIONAL #N102-459 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
24	1	LB	GALVANIZED BOX NAILS 16D Size: 3-1/2" TREE ISLAND #NLS16GB or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
25	1	LB	GALVANIZED COMMON NAILS 60D Size: 6" TREE ISLAND #NLS60GC or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
26	1	PKG	GALVANIZED BOX NAILS 6D (170-pack) Size: 2" TREE ISLAND #NLS6GBS or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
27	1	LB	GALVANIZED BOX NAILS 12D Size: 3-1/4" TREE ISLAND #NLS12GB or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
28	1	LB	GALVANIZED ROOFING NAILS Size: 1-1/4 TREE ISLAND #NLS114GR or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174199	
29	4	BAG	STEEL WOOD SCREW #10 External Hex Drive Flange Hex Head Color-matched screws are used to attach panels to dimensional lumber OxySeal long-life coating helps preserve screw life High-low screw threads reduce backing out Long-life neoprene washer helps prevent leaks 250 screws per bag Size: 1/4 in. Hex head X 1" L Color: Evergreen FABRAL #6789060875 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174039	
30	8	EA	T-HINGE Zinc plated, Extra Heavy Duty Offset screw holes Tight pin for left or right hand applications Finish: Zinc Size: 6" NATIONAL #N129-171 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174199	
31	2	EA	BARREL BOLT Zinc plated, Durable steel case and bolt. Bolt diameter is .39 Finish: Zinc Size: 6" NATIONAL #N162-388 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174199	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
32	8	EA	GABLE MOUNT AUTOMATIC SHUTTER Maintenance free aluminum construction – can be painted. The shutter will open when the electric gable vent is operating. Use with all attic power gable mount vents. Moving air opens the louvers only when the power vent is operating. When vent is off, shutter helps prevent infiltration of rain, snow, insects, etc. Size: 19.25" H x 1.5" D x 19.25" W Color: White MASTER FLOW #SGM20 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174009	
33	2	EA	GABLE MOUNT ATTIC POWER FAN Adjustable thermostat included Effectively ventilates up to 3,000 sq. ft. of attic space Mounting brackets included for installation Galvanized steel construction Airflow (CFM): 1600 Amperage: 1.65 Volts: 120 Color: Silver Size: 15" H x 8.25" D x 15" W MASTER FLOW #EGV6 or an approve equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174009	
34	1	EA	STEEL DOOR Strong and secure steel with high definition panels Energy efficient core Primed White Right-Hand/Inswing Door Type: Exterior Prehung Features: Brickmould, Weather-stripping Hinge finish: Nickel No. of Hinges: 3 6-panel Size: 36" W x 80"H x 1.75" D Jamb Size: 4-9/16" JELD-WEN #THDJW166100278 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039	
35	11	ROLL	INSULATION, KRAFT FACED – R13 Soft to the touch, easy to cut, split and install Greenguard GOLD certified & verified to be Formaldehyde free Offers exceptional thermal and sound control performance Energy Star Certified Application: 2" x 4" walls (interior/exterior/basement), floors. Dimensions: 3.5"H x 15" W x 32'L OWENS CORNING #RF10 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
36	8	EA	DRIP EDGE Metal – G Style Color: Brown Size: 1-3/8" x 1-3/8" x 10' ACS BUILDING PRODUCTS (SBS #2113138) or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
37	6	BNDLE	ASPHALT SHINGLES 3-tabs, 1 bundle covers 33.33 square feet Color: Midnight Black MALARKEY - SBS #RFSMSBSARMBD or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
38	18	EA	TUBE PIPE INSULATION KIT Use on hot or cold pipes Blocks heat loss or gain to help save energy Stops condensation on cold pipes to help prevent water damage Covers 6 ft. of pipe Easy to install Foam Tape Density: 15.0 Color: Black Size: 3/8" Wall x 3/4" x 6' M-D BUILDING PRODUCTS #50150 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174068	
39	23	PKG	SAND PAPER, ASSORTED General purpose sandpaper Type: Aluminum oxide mineral Sands paint, wood, or metal Grit: 100; 150; 220 Grade: Medium; Fine; Very Fine Size: 9" x 11" – 5/pkg 3M #9005NA or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174068	
40	10	EA	PIER BLOCKS Concrete No base/bracket Size: 12" x 12" x 8" SPENARD BUILDERS #24900323 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
41	10	EA	POST BASES FOR PIER BLOCKS Material: Mild Steel Thickness: 2.5mm Threaded rod and U shaped part connect with full weld Surface finish: Hot dipped galvanized (HDG) No burrs greater than 0.38mm Size: 6x6 BOISE CASCADE IMPORT 6X6 HDG POST BASES (SBS #21300066) or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039	
42	12	EA	LUMBER Common pine Kiln Dried S4S Size: 1" x 3" x 12' SPENARD BUILDERS #UKP10312 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
43	25	EA	LUMBER Square Edge Whitewood Common Board Kiln Dried Untreated Smooth texture Grade: Premium or better Size: 1" x 4" x 8' HOME DEPOT #914681 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	
44	20	EA	LUMBER Common pine Kiln Dried S4S Size: 1"x 4" x 12' SPENARD BUILDERS #UKP10412 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	
45	4	EA	LUMBER Common pine Kiln Dried S4S Size: 1" x 4" x 14' SPENARD BUILDERS #UKP10414 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
46	148	EA	LUMBER Whitewood Stud Kiln Dried Untreated For interior or exterior use Grade: Premium or better Size: 2" x 4" x 8' HOME DEPOT #161640 or approved equal	\$ _____ \$ _____ BRAND/MODEL # Is item available now? Give due date 174039	
47	8	EA	LUMBER SPF Dried Grade: #2 or better Size 2" x 4" x8' SPENARD BUILDERS #SPF20408 or approved equal	\$ _____ \$ _____ BRAND/MODEL # Is item available now? Give due date 174199	
48	18	EA	LUMBER SPF Dried Grade: #2 or better Size 2" x 4" x10' SPENARD BUILDERS #SPF20410 or approved equal	\$ _____ \$ _____ BRAND/MODEL # Is item available now? Give due date 174199	
49	124	EA	LUMBER SPF Kiln Dried Heat Treated For interior or exterior use Grade: Standard or better Size: 2" x 4" x 12' HOME DEPOT #161667 or approved equal	\$ _____ \$ _____ BRAND/MODEL # Is item available now? Give due date 174039 & 174009	
50	42	EA	LUMBER SPF Dried Grade: #2 or better Size 2" x 4" x12' SPENARD BUILDERS #SPF20412 or approved equal	\$ _____ \$ _____ BRAND/MODEL # Is item available now? Give due date 174199	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
51	50	EA	LUMBER SPF Kiln Dried Heat Treated For interior or exterior use Untreated Grade: #2 or better Size: 2" x 6" x 10' HOME DEPOT #161721 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174009	
52	16	EA	LUMBER SPF Kiln Dried Heat Treated For interior or exterior use Untreated Grade: #2 or better Size: 2" x 6" x 12' HOME DEPOT #161756 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174009	
53	14	EA	LUMBER, DECKING SPF Kiln Dried .25 treatment for above ground & decking – no injection marks (smooth) Grade: #1 appearance grade Size: 2" x 6" x 8' SUPERIOR WOOD TREATING #ODW20608DD or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174199	
54	4	EA	LUMBER, DECKING SPF Kiln Dried .25 treatment for above ground & decking – no injection marks (smooth) Grade: #1 appearance grade Size: 2" x 6" x 12' SUPERIOR WOOD TREATING #ODW20612DD or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 174199	
55	20	EA	LUMBER, PRESSURE TREATED Ground Contact Hem Fir Can be primed, painted, or sanded Grade: #2 or better Size: 2" x 4" x 10' HOME DEPOT #1001793881 or approved equal	\$ _____ \$ _____ _____ BRAND/MODEL # _____ Is item available now? Give due date 173918	

Vendor Name

No.	Qty	Unit	Specifications	Unit Price	Total Price
56	150	EA	LUMBER, PRESSURE TREATED Ground Contact Hem Fir Can be primed, painted, or sanded Grade: #2 or better Size: 2" x 6" x 10' HOME DEPOT #1001793922 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 173918	
57	8	EA	LUMBER, PRESSURE TREATED Hem Fir Grade: #2 and better Size: 4" x 6" x 12' SPENARD BUILDERS or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174008	
58	32	EA	ORIENTED STRAND BOARD (OSB) Engineered for load-bearing applications No core voids, preventing cupping, warping or splitting Structurally rated panel is built with material with high mechanical properties. The most common uses are for sheathing in walls, flooring, and roof decking. Size: 7/16 in. x 4 ft. x 8ft. HOME DEPOT #386081, SBS #OSB716 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039 & 174199	
59	20	EA	PLYWOOD SIDING Rich woodgrain texture of Southern Yellow Pine T1-11 8" OC Can be painted or stained For exterior use Size: 19/32" x 4' x 8' PLYTANIUM #113699 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039	
60	20	EA	PLYWOOD SIDING Plain Rough Sawn For exterior use Plain – T1-11 Size: 3/8" (11/32) x 4' x 8' SPENARD BUILDERS #T113848 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199	

Vendor Name

61	10	EA	SHEATHING PLYWOOD Fir Made of layers of thin sheets of wood (veneer) in alternating wood grain directions. Meets the highest grading standards for strength and appearance. Size: 23/32" x 4' x 8' HOME DEPOT #439614 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174039
62	6	EA	UNDERLAYMENT PLYWOOD T&G (tongue and groove) (23/32) P&TS (plugged and touch sanded) plywood Size: 3/4" x 4' x 8' SPENARD BUILDERS #UND34 or approved equal	\$_____ \$_____ BRAND/MODEL # Is item available now? Give due date 174199
63	1	EA	DELIVERY CHARGE TO HOMER	\$_____ \$_____
64	1	EA	DELIVERY CHARGE TO KENAI	\$_____ \$_____
65	1	EA	DELIVERY CHARGE TO SOLDOTNA	\$_____ \$_____
66	1	EA	DELIVERY CHARGE TO VOZNESENKA	\$_____ \$_____