		Birthdate	Teacher	
chool Nurse		Phone	Fax	
	rider			
	IMA: No DYes-Higher risk for			Student
•	appropriate) <i>To be completed by H</i> ds (list): ☐ Type I (anaphylaxis)		dermatitis)	Photo
□ Med	lications (list):			
☐ Late	x: Type I (anaphylaxis) Type IV	(contact dermatitis)		
	ging Insects (list):	(contact dermatitis)		
☐ Oth				
COGNITION &				
	e completed by Healthcare Provide	er ONLY		KED Medication
	sted or contact w/ allergen occurs:		Epinephrine	Antihistamine
	oms noted		S	
Mouth	Itching, tingling, or swelling of lips, to			
Skin	Hives, itchy rash, swelling of the face			
Gut+	Nausea, abdominal cramps, vomiting			
Throat+	Tightening of throat, hoarseness, hac			
Lung+	•	Shortness of breath, repetitive coughing, wheezing		
Heart+	Thready pulse, low BP, fainting, pale,			
Neuro+	Disorientation, dizziness, loss of cons			
If reaction	is progressing (several of the above ar	eas affected), GIVE:	Un life throatening	
If reaction The seve	<u> </u>	eas affected), GIVE:	ly life-threatening.	
If reaction The seven OSAGE: ✓ Epineph ✓ Antihist (Liquid	is progressing (several of the above ar	eas affected), GIVE: Inge. + = Potential Ish clothing)	mg <i>OR</i> □ 0.15 mg _mg <i>OR</i> □ Diphenhy	
If reaction The seven OOSAGE: ✓ Epineph ✓ Antihist (Liquid of ther: This child he circle one). It independently, the auto-injectory It is my profile.	is progressing (several of the above are rity of symptoms can quickly characters. Inject into outer thigh (through amine: Loratadinemg OF	th clothing)	mg OR □ 0.15 mg _mg OR □ Diphenhy nouth only if able to s p-injector: EpiPen® or be allowed to carry as been advised to in carry an auto-injector	r Auvi-Q® or and use the auto- form a responsible
If reaction The seven COSAGE: ✓ Epineph ✓ Antihist (Liquid of ther: This child had been dently. The auto-injector of the child had been dently. This child had been dently. This child had been dently. This child had been dently.	is progressing (several of the above are rity of symptoms can quickly characterine: Inject into outer thigh (through amine: Loratadinemg OF or melts or depends which is available as received instruction in the professional opinion that the The child knows when to request a fersional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following is special needs an	th clothing)	mg <i>OR</i> □ 0.15 mg _mg <i>OR</i> □ Diphenhy nouth only if able to s p-injector: EpiPen® or be allowed to carry as been advised to in	r Auvi-Q® or and use the auto- form a responsible
If reaction The seven OSAGE: ✓ Epineph ✓ Antihist (Liquid of ther: This child histole one). It dependently. The auto-injector of the child histole chil	is progressing (several of the above are rity of symptoms can quickly characterine: Inject into outer thigh (through amine: Loratadinemg OF or melts or depends which is available as received instruction in the professional opinion that the The child knows when to request a fersional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following in the professional opinion (HCP) that this study is special needs and the following is special needs an	th clothing)	mg OR □ 0.15 mg _mg OR □ Diphenhy nouth only if able to s p-injector: EpiPen® or be allowed to carry as been advised to in carry an auto-injector	r Auvi-Q® or and use the auto- form a responsible
If reaction The seven OSAGE: ✓ Epineph ✓ Antihist (Liquid of ther: This child had be auto-injected one). It is my proof the control of t	is progressing (several of the above are rity of symptoms can quickly charmine: Inject into outer thigh (through amine: Loratadinemg OF or melts or depends which is available as received instruction in the profis my professional opinion that the The child knows when to request a fersional opinion (HCP) that this study is special needs and the following in the received instruction in the profise my professional opinion (HCP) that this study is special needs and the following in the received instruction.	th clothing)	mg OR □ 0.15 mg _mg OR □ Diphenhy nouth only if able to s p-injector: EpiPen® or be allowed to carry as been advised to incompare an auto-injector tional epinephrine n	r Auvi-Q® or and use the auto- form a responsible

ALLERGY/ANAPHY	YLAXIS CARE PLAN								
Side 2: To Be Completed by Parent/Guardian, Student and School									
Allergy/Anaphylaxis	Action Plan (continued) Student N	lame						
Parent/Guardian AU									
the school district administration of	want this allergy plan implemented for my child; I want my child to carry an auto-injector and I agree to releas he school district and school personnel from all claims of liability if my child suffers any adverse reactions from self dministration of an auto-injector. want this plan implemented for my child and I do not want my child to self-administer epinephrine.								
·	ool staff be trained in t		•						
Parent is responsible for	or auto injectors for be	fore and after sch	nool activi	ties separate fro	om the school d	ay supply.			
I understand that su	•			•					
	provider regarding t								
Parent/Guardian Signature:		Phone:			Date:				
EMERGENCY CONTACTS	Name			Home #	Work#	Cell #			
Parent/Guardian	Ivaille			Tionie #	VVOIR #	Cell #			
Parent/Guardian									
Other:									
Other:									
 which they are give I agree to carry my I will notify a respo (epinephrine) is use I will not share my 	auto-injector with me ensible adult (teacher, r	at all times; nurse, coach, noo students or leave	n duty, et e my auto	c.) IMMEDIATEI -injector unattei	L Y when my auto				
Approved by Nurse/Pr	rincinal Cianatura				Date				
PREVENTION: Avoida	ance of allergen is cruc	eactions:	dicates ac	ctivity complet	ed by school st	aff			
	Use non-latex gloves and eliminate powdered latex gloves in schools								
	Ask parents to provide non-latex personal supplies for latex allergic students								
	Post "Latex Reduced Environment" sign at entrance of building								
	Encourage a No-Peanut Zone in the school cafeteria								
	Other:								
STAFF MEMBERS TRAINED									
Nar	ne	Title	Local	tion/Room #	Trained	By (RN only)			

Adapted from the Asthma & Allergy Foundation of America, Alaska Chapter Rev 10/2015

Page 2 of 2